

EPIREZ INSTANT GROUT

Chemwatch Material Safety Data Sheet (REVIEW)
For Workplace - Small Volume Use Only.
Issue Date: 5-May-2006
CC317SLP

CHEMWATCH 4584-23
CD 2006/3 Page 1 of 7

Section 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION


PRODUCT NAME
EPIREZ INSTANT GROUT

SYNONYMS
"rapid strength cement based grout", "cementitious blend"

PRODUCT USE
Grouting.


SUPPLIER
Company: ITW Polymers & Fluids
Address:
100 Hassall Street
Wetherill Park
NSW, 2164
AUS
Telephone: +61 2 9757 8800
Emergency Tel: +61 2 9757 8800
Fax: 1800 803 596

HAZARD RATINGS



Section 2 - HAZARDS IDENTIFICATION

STATEMENT OF HAZARDOUS NATURE
HAZARDOUS SUBSTANCE. NON-DANGEROUS GOODS. According to the Criteria of NOHSC, and the ADG Code.



POISONS SCHEDULE
None

RISK
Irritating to eyes and skin.
Inhalation and/or ingestion may produce health damage*.
Cumulative effects may result following exposure*.
May produce discomfort of the respiratory system*.
Possible respiratory sensitiser*.

Possible skin sensitiser*.
* (limited evidence).

SAFETY
Do not breathe dust.
Wear eye/ face protection.
Use only in well ventilated areas.
Keep container in a well ventilated place.
To clean the floor and all objects contaminated by this material, use water and detergent.
Take off immediately all contaminated clothing.
In case of contact with eyes, rinse with plenty of water and contact Doctor or Poisons Information Centre.

continued...

EPIREZ INSTANT GROUT

Chemwatch Material Safety Data Sheet (REVIEW)
For Workplace - Small Volume Use Only.
Issue Date: 5-May-2006
CC317SLP

CHEMWATCH 4584-23
CD 2006/3 Page 2 of 7
Section 2 - HAZARDS IDENTIFICATION

If swallowed, IMMEDIATELY contact Doctor or Poisons Information Centre
(show this container or label).

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

NAME	CAS RN	%
portland cement	65997-15-1	1-9
graded sand	14808-60-7.	1-9
fillers, unregulated		30-60
modified cement, unregulated		10-30
additives		1-9

Section 4 - FIRST AID MEASURES

SWALLOWED

- If swallowed do NOT induce vomiting.
- If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.

EYE

- If this product comes in contact with the eyes:
- Wash out immediately with fresh running water.
 - Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.

SKIN

- If skin contact occurs:
- Immediately remove all contaminated clothing, including footwear
 - Flush skin and hair with running water (and soap if available).

INHALED

- If fumes or combustion products are inhaled remove from contaminated area.
- Lay patient down. Keep warm and rested.

NOTES TO PHYSICIAN

For acute or short-term repeated exposures to highly alkaline materials:

- Respiratory stress is uncommon but present occasionally because of soft tissue edema.
 - Unless endotracheal intubation can be accomplished under direct vision, cricothyroidotomy or tracheotomy may be necessary.
 - Oxygen is given as indicated.
 - The presence of shock suggests perforation and mandates an intravenous line and fluid administration.
 - Damage due to alkaline corrosives occurs by liquefaction necrosis whereby the saponification of fats and solubilisation of proteins allow deep penetration into the tissue.
- Alkalis continue to cause damage after exposure.

INGESTION:

- Milk and water are the preferred diluents
- No more than 2 glasses of water should be given to an adult.
- Neutralising agents should never be given since exothermic heat reaction may compound injury.
- * Catharsis and emesis are absolutely contra-indicated.
* Activated charcoal does not absorb alkali.
* Gastric lavage should not be used.

Supportive care involves the following:

- Withhold oral feedings initially.
- If endoscopy confirms transmucosal injury start steroids only within the first 48 hours.
- Carefully evaluate the amount of tissue necrosis before assessing the need for surgical intervention.
- Patients should be instructed to seek medical attention whenever they develop difficulty in swallowing (dysphagia).

SKIN AND EYE:

- Injury should be irrigated for 20-30 minutes.
- Eye injuries require saline. [Ellenhorn & Barceloux: Medical Toxicology].

continued...

EPIREZ INSTANT GROUT

Chemwatch Material Safety Data Sheet (REVIEW)
For Workplace - Small Volume Use Only.
Issue Date: 5-May-2006
CC317SLP

CHEMWATCH 4584-23
CD 2006/3 Page 3 of 7

Section 5 - FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA

- There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

FIRE FIGHTING

- Alert Fire Brigade and tell them location and nature of hazard.
- Wear breathing apparatus plus protective gloves for fire only.
- Prevent, by any means available, spillage from entering drains or water courses.
- Use fire fighting procedures suitable for surrounding area.
- DO NOT approach containers suspected to be hot.
- Cool fire exposed containers with water spray from a protected location.
- If safe to do so, remove containers from path of fire.
- Equipment should be thoroughly decontaminated after use.

FIRE/EXPLOSION HAZARD

- Non combustible.
- Not considered a significant fire risk, however containers may burn.

May emit poisonous fumes.

May emit corrosive fumes.

FIRE INCOMPATIBILITY

None known.

HAZCHEM: None

Personal Protective Equipment

Breathing apparatus.

Gas tight chemical resistant suit.

Limit exposure duration to 1 BA set 30 mins.

Section 6 - ACCIDENTAL RELEASE MEASURES

EMERGENCY PROCEDURES

MINOR SPILLS

- Remove all ignition sources.
- Clean up all spills immediately.
- Avoid contact with skin and eyes.
- Control personal contact by using protective equipment.
- Use dry clean up procedures and avoid generating dust.
- Place in a suitable labelled container for waste disposal.

MAJOR SPILLS

Moderate hazard.

- CAUTION: Advise personnel in area.
- Alert Emergency Services and tell them location and nature of hazard.
- Control personal contact by wearing protective clothing.
- Prevent, by any means available, spillage from entering drains or water courses.
- Recover product wherever possible.
- IF DRY: Use dry clean up procedures and avoid generating dust. Collect residues and place in sealed plastic bags or other containers for disposal. IF WET: Vacuum/shovel up and place in labelled containers for disposal.
- ALWAYS: Wash area down with large amounts of water and prevent runoff into drains.
- If contamination of drains or waterways occurs, advise Emergency Services.

Personal Protective Equipment advice is contained in Section 8 of the MSDS.

Section 7 - HANDLING AND STORAGE

PROCEDURE FOR HANDLING

- Avoid all personal contact, including inhalation.
- Wear protective clothing when risk of exposure occurs.
- Use in a well-ventilated area.

continued...

EPIREZ INSTANT GROUT

Chemwatch Material Safety Data Sheet (REVIEW)
For Workplace - Small Volume Use Only.
Issue Date: 5-May-2006
CC317SLP

CHEMWATCH 4584-23
CD 2006/3 Page 4 of 7
Section 7 - HANDLING AND STORAGE

- Prevent concentration in hollows and sumps.
- DO NOT enter confined spaces until atmosphere has been checked.
- DO NOT allow material to contact humans, exposed food or food utensils.
- Avoid contact with incompatible materials.
- When handling, DO NOT eat, drink or smoke.
- Keep containers securely sealed when not in use.
- Avoid physical damage to containers.
- Always wash hands with soap and water after handling.
- Work clothes should be laundered separately. Launder contaminated clothing before re-use.
- Use good occupational work practice.
- Observe manufacturer's storing and handling recommendations.
- Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions are maintained.

SUITABLE CONTAINER

- Polyethylene or polypropylene container.
- Check all containers are clearly labelled and free from leaks.

STORAGE INCOMPATIBILITY

None known.

STORAGE REQUIREMENTS

Observe manufacturer's storing and handling recommendations.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION




EXPOSURE CONTROLS

Source	Material	TWA ppm	TWA mg/m ³	STEL ppm	STEL mg/m ³	Peak ppm	Peak mg/m ³	TWA F/CC
Australia Exposure Standards	portland cement (Portland cement (a))		10					
Australia Exposure Standards	graded sand (Silica crystalline - Quartz)		0.1					

The following materials had no OELs on our record under the following CAS or Chemwatch (CW) numbers

- Epirez Instant Grout: No data available for CW:4584-23
- portland cement: No data available for
- 330: No data available for
- graded sand: No data available for CW:4231

PERSONAL PROTECTION



RESPIRATOR

Particulate

EYE

- Safety glasses with side shields.
- Chemical goggles.
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lens or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59].

continued...

EPIREZ INSTANT GROUT

Chemwatch Material Safety Data Sheet (REVIEW)

For Workplace - Small Volume Use Only.

Issue Date: 5-May-2006

CC317SLP

CHEMWATCH 4584-23

CD 2006/3 Page 5 of 7

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

HANDS/FEET

Suitability and durability of glove type is dependent on usage. Factors such as:

- frequency and duration of contact,
- chemical resistance of glove material,
- glove thickness and
- dexterity,

are important in the selection of gloves.

Experience indicates that the following polymers are suitable as glove materials for protection against undissolved, dry solids.

- polychloroprene
- nitrile rubber
- butyl rubber
- fluorocautchouc
- polyvinyl chloride

Gloves should be examined for wear and/ or degradation constantly.

Wear chemical protective gloves, eg. PVC.

Wear safety footwear or safety gumboots, eg. Rubber.

NOTE: The material may produce skin sensitisation in predisposed individuals. Care must be taken, when removing gloves and other protective equipment, to avoid all possible skin contact.

OTHER

- Overalls.
- P.V.C. apron.
- Barrier cream.
- Skin cleansing cream.
- Eye wash unit.

ENGINEERING CONTROLS

Local exhaust ventilation usually required. If risk of overexposure exists, wear approved respirator. Correct fit is essential to obtain adequate protection. Supplied-air type respirator may be required in special circumstances. Correct fit is essential to ensure adequate protection.

An approved self contained breathing apparatus (SCBA) may be required in some situations.

Provide adequate ventilation in warehouse or closed storage area.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE

Finely divided grey powder; mixes with water. Cement type odour. Hardens after reaction with water.

PHYSICAL PROPERTIES

Solid.

Does not mix with water.

Sinks in water.

Alkaline.

Molecular Weight: Not applicable

Melting Range (°C): Not available

Solubility in water (g/L): Insoluble

pH (1% solution): Not available

Volatile Component (%vol): Not available

Relative Vapour Density (air=1): Not applicable

Lower Explosive Limit (%): Not applicable

Autoignition Temp (°C): Not applicable

State: Divided solid

Boiling Range (°C): Not applicable

Specific Gravity (water= 1): 2.58

pH (as supplied): Not applicable

Vapour Pressure (kPa): Not applicable

Evaporation Rate: Not applicable

Flash Point (°C): Not applicable

Upper Explosive Limit (%): Not applicable

Decomposition Temp (°C): Not available

Viscosity: Not available

Section 10 - CHEMICAL STABILITY AND REACTIVITY INFORMATION

CONDITIONS CONTRIBUTING TO INSTABILITY

- Presence of incompatible materials.
- Product is considered stable.
- Hazardous polymerisation will not occur.

continued...

EPIREZ INSTANT GROUT

Chemwatch Material Safety Data Sheet (REVIEW)
For Workplace - Small Volume Use Only.
Issue Date: 5-May-2006
CC317SLP

CHEMWATCH 4584-23
CD 2006/3 Page 6 of 7

Section 11 - TOXICOLOGICAL INFORMATION

POTENTIAL HEALTH EFFECTS

ACUTE HEALTH EFFECTS

Irritating to eyes and skin.
May produce discomfort of the respiratory system*.
Inhalation and/or ingestion may produce health damage*.
* (limited evidence).

CHRONIC HEALTH EFFECTS

Possible respiratory sensitiser*.
Possible skin sensitiser*.
Cumulative effects may result following exposure*.
* (limited evidence).

TOXICITY AND IRRITATION

Not available. Refer to individual constituents.

MATERIAL	CARCINOGEN	REPROTOXIN	SENSITISER	SKIN
graded sand	IARC:Group 1: Carcinogenic to humans			

CARCINOGEN

IARC: International Agency for Research on Cancer (IARC) Carcinogens: graded sand Category: Group 1: Carcinogenic to humans

Section 12 - ECOLOGICAL INFORMATION

No data

Section 13 - DISPOSAL CONSIDERATIONS

- Recycle wherever possible or consult manufacturer for recycling options.
- Consult State Land Waste Management Authority for disposal.
- Bury residue in an authorised landfill.
- Recycle containers if possible, or dispose of in an authorised landfill.

Section 14 - TRANSPORTATION INFORMATION

HAZCHEM: None

NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS:UN

Section 15 - REGULATORY INFORMATION

POISONS SCHEDULE: None

REGULATIONS

portland cement (CAS: 65997-15-1) is found on the following regulatory lists;
Australia Exposure Standards
Australia High Volume Industrial Chemical List (HVICL)
Australia Inventory of Chemical Substances (AICS)
OECD Representative List of High Production Volume (HPV) Chemicals

graded sand (CAS: 14808-60-7) is found on the following regulatory lists;
Australia - New South Wales Hazardous Substances Prohibited for Specific Uses
Australia - New South Wales Hazardous Substances Requiring Health Surveillance
Australia - South Australia Hazardous Substances Requiring Health Surveillance
Australia - Tasmania Hazardous Substances Prohibited for Specified Uses
Australia - Tasmania Hazardous Substances Requiring Health Surveillance
Australia - Western Australia Hazardous Substances Requiring Health Surveillance
Australia Exposure Standards

continued...

EPIREZ INSTANT GROUT

Chemwatch Material Safety Data Sheet (REVIEW)

For Workplace - Small Volume Use Only.

Issue Date: 5-May-2006

CC317SLP

CHEMWATCH 4584-23

CD 2006/3 Page 7 of 7

Section 15 - REGULATORY INFORMATION

Australia Hazardous Substances Requiring Health Surveillance
Australia High Volume Industrial Chemical List (HVICL)
Australia Inventory of Chemical Substances (AICS)
Australia Occupational Health and Safety (Commonwealth Employment) (National Standards) Regulations 1994 - Hazardous Substances Requiring Health Surveillance
International Agency for Research on Cancer (IARC) Carcinogens
OECD Representative List of High Production Volume (HPV) Chemicals

Section 16 - OTHER INFORMATION

This document is copyright. Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.

Issue Date: 5-May-2006

Print Date: 12-Sep-2006